



Inspection Report

Timothy Wittmer
2417 N 700 E
Montgomery, IN 47558

Customer ID: **327991**
Certificate: **32-A-0455**
Site: 001
BREEZY ACRES KENNEL

Type: ROUTINE INSPECTION
Date: 05-JUL-2016

2.75(a)(1)

RECORDS: DEALERS AND EXHIBITORS.

There were several puppy records (6) that were missing the females information, and 2 cage cards missing the number of Males and Females in the litter.

All records should be filled out completely with all required information for proper management and traceability.

All puppy records should have the breeding females' ID, and all cage cards should have at minimum the number of Males and Females in the litter while they are still with the female.

To be corrected by: July 6, 2016

3.1(a)(1)

HOUSING FACILITIES, GENERAL.

There are 8 of 12 dog door flaps that have been chewed at the corners and need to be replaced. 1 dog house is missing the door flap completely, and 2 others need the doors to be repaired at the hinges, as the screws are loose and falling out.

It is important to repair and replace any chewed or broken surface in the kennel that the regulated animals come in contact with. the door flaps should be intact to prevent wind and weather from entering the dog house.

Housing facilities for dogs must be designed and constructed so that they are structurally sound and must be kept in good repair.

To be corrected by: July 20, 2016

Inspection and exit interview conducted with facility representative.

Prepared By: ANNMARIE COMPTON, A C I USDA, APHIS, Animal Care

Date:
05-JUL-2016

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: WIFE OF OWNER

Date:
05-JUL-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327991	32-A-0455	001	BREEZY ACRES KENNEL	05-JUL-16

Count	Scientific Name	Common Name
000025	<i>Canis lupus familiaris</i>	DOG ADULT
000047	<i>Canis lupus familiaris</i>	DOG PUPPY
000072	Total	