



Inspection Report

Willis D Knepp
8882 E 400 N
Montgomery, IN 47558

Customer ID: **333538**
Certificate: **32-A-0529**
Site: 001
WILLIS KNEPP

Type: ROUTINE INSPECTION
Date: 13-JUN-2016

3.3(a)

SHELTERED HOUSING FACILITIES.

The temperature outside during the inspection was 91deg F, with a temperature inside the kennel of 93deg F with a Heat Index of 101deg F. Several of the dogs were coming inside the kennel and panting, unable to cool down in the temperature controlled area due to insufficient cooling modifications inside the kennel. The temperatures are going to be in the low 90s for the next week in this area, requiring additional cooling measures to be implemented.

High temperatures inside the kennel can cause heat stress and discomfort to the regulated animals, which could be a possible health issue if they get over heated and are unable to get into a cooler environment.

The ambient temperature must not rise above 85 [deg]F (29.5 [deg]C) for more than 4 consecutive hours when dogs are present. There needs to be some method of cooling in the temperature controlled area to prevent the temperature from rising above 85deg F for extended periods to allow for the animals to cool down from excessively high temperatures outside.

To be corrected by: June 16, 2016

Prepared By: ANNMARIE COMPTON, A C I USDA, APHIS, Animal Care

Date:
13-JUN-2016

Title: ANIMAL CARE INSPECTOR 6022

Received by Title: OWNER

Date:
13-JUN-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333538	32-A-0529	001	WILLIS KNEPP	13-JUN-16

Count	Scientific Name	Common Name
000023	<i>Canis lupus familiaris</i>	DOG ADULT
000009	<i>Canis lupus familiaris</i>	DOG PUPPY
000032	Total	