



Inspection Report

DELMAR BONTRAGER
4440 W 200 N
LAGRANGE, IN 46761

Customer ID: **16520**
Certificate: **32-A-0857**
Site: 002
Delmar Bontrager

Type: ROUTINE INSPECTION
Date: 02-MAR-2022

3.6(a)(2)(i)

Primary enclosures.

One enclosure housing dogs had broken wires. Another enclosure had an exposed screw point. These sharp points could injury the dogs housed in these enclosures. Repair these dog enclosures by removing/repairing these sharp points. Correct by 3-3-2022.

3.11(a)

Cleaning, sanitization, housekeeping, and pest control.

The outdoor runs for the dog enclosures have an excess amount of feces present. Dog feces must be removed from primary enclosures daily to prevent soiling of the dogs and to reduce disease hazards and reduce odors and pests. Clean these enclosures on a daily basis in order to promote a healthy environment for these dogs.

Correct by: 3/3/2022

This inspection and exit interview were conducted with the licensee.

Prepared By: KURT HAMMEL

USDA, APHIS, Animal Care

Date:
02-MAR-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
02-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
16520	32-A-0857	002	Delmar Bontrager	02-MAR-2022

Count	Scientific Name	Common Name
000008	<i>Canis lupus familiaris</i>	DOG ADULT
000004	<i>Canis lupus familiaris</i>	DOG PUPPY
000012	Total	