



## Inspection Report

---

Jaydens Jungle Exotic Pets Inc  
501 4th Street  
Aurora, IN 47001

Customer ID: **507266**

Certificate: **32-B-0253**

Site: 001

Jaydens Jungle Exotic Pets Inc

Type: RE-LICENSE INSPECTION

Date: 22-FEB-2023

---

### 2.131(b)(1)

#### Handling of animals.

There is one coati housed in a multi-tier enclosure. Each tier has a solid floor. The veterinarian provided a guidance document for the care of the coati. The guidance indicates that a hanging bed or similar place to hide and rest should be provided for the coati. There was no hanging bed nor additional bedding nor place to hide and rest in the enclosure for the coati. Not having bedding or a soft place to rest is a source of discomfort for the coati. Handling of the coati should be done in a manner that does not cause discomfort. Provide appropriate equipment as recommended by the veterinarian for the well-being of the coati.

Correct by March 1, 2023

### 3.31(c)

#### Sanitation.

There are eight guinea pigs housed in the facility. There are flies and gnats flying around the enclosure for the guinea pigs. The applicant stated that usually fly strips and a bug zapper light were used for pest control. At the time of inspection, however, only the bug zapper light was being used. Flies and gnats can carry disease that can cause illness and are a source of discomfort for the guinea pigs. The facility should maintain an effective pest control program to

---

Prepared By: LORI LINN

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

01-MAR-2023

Received by Title: Applicant

Date:

01-MAR-2023



## Inspection Report

---

eliminate the flies and gnats from the facility.

Correct by March 1, 2023.

### 3.125(a)

#### Facilities, general.

There are three prairie dogs housed in an enclosure that has a wire floor. The floor is covered with a solid mat. The mat is chewed in several places, exposing the wire below. Guidance from the veterinarian for the care of the prairie dogs states that the animals should not be housed on a wire floor. The guidance further indicates that the wire flooring may injure the animals. Primary enclosures that are not maintained in good repair may cause injury.

Repair or replace the mat or flooring to ensure the animals are not injured by a wire floor.

Correct By: March 1, 2023

This is a 1st Re-License Inspection for a Class B license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspections or by April 23, 2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires on February 25, 2023.

---

**Prepared By:** LORI LINN

USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR

**Date:**

01-MAR-2023

**Received by Title:** Applicant

**Date:**

01-MAR-2023



### Species Inspected

| Cust No | Cert No   | Site | Site Name                      | Inspection  |
|---------|-----------|------|--------------------------------|-------------|
| 507266  | 32-B-0253 | 001  | Jaydens Jungle Exotic Pets Inc | 22-FEB-2023 |

| Count  | Scientific Name             | Common Name          |
|--------|-----------------------------|----------------------|
| 000001 | <i>Nasua nasua</i>          | SOUTH AMERICAN COATI |
| 000003 | <i>Cynomys parvidens</i>    | UTAH PRAIRIE DOG     |
| 000008 | <i>Cavia porcellus</i>      | DOMESTIC GUINEA PIG  |
| 000001 | <i>Atelerix albiventris</i> | FOUR-TOED HEDGEHOG   |
| 000001 | <i>Chinchilla lanigera</i>  | CHINCHILLA           |
| 000014 | <b>Total</b>                |                      |