



## Inspection Report

Eli S King  
15710 Co Hwy F  
Darlington, WI 53530

Customer ID: **321615**  
Certificate: **35-A-0339**  
Site: 001  
ELI KING

Type: ROUTINE INSPECTION  
Date: 31-JAN-2014

---

### 3.30 REPEAT

#### WATERING.

All watering receptacles shall be sanitized when dirty.

Almost all water bottles were clean and a new water system has been installed, however 4 water bottles had a dark layer of algae on the inside. Water bottles must be sanitized when dirty. Water bottles must be cleaned at least every two weeks or as often as needed to maintain them clean. Dirty water bottles can cause many animals to get sick and doesn't provide for their well-being.

Clean water bottles as a routine practice, minimally every 2 weeks but more often if they are dirty.

Inspection and exit interview conducted with facility representative.

#### Additional Inspectors

Cox Brenton, Animal Care Inspector

---

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:  
31-JAN-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:  
31-JAN-2014



## Species Inspected

| Cust No | Cert No   | Site | Site Name | Inspection |
|---------|-----------|------|-----------|------------|
| 321615  | 35-A-0339 | 001  | ELI KING  | 31-JAN-14  |

| Count         | Scientific Name        | Common Name         |
|---------------|------------------------|---------------------|
| 000283        | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| <b>000283</b> | <b>Total</b>           |                     |