



Inspection Report

Joseph King
2712 Cr B
Platteville, WI 53818

Customer ID: **327884**
Certificate: **35-A-0347**
Site: 001
JOSEPH KING

Type: ROUTINE INSPECTION
Date: 07-APR-2014

2.40(a)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The last site visit by the attending veterinarian was documented in 2012. A complete written Program of Veterinary Care (PVC) was not available for inspection. To ensure that optimum care is provided for the animals, the attending veterinarian should be contacted to visit the facility at least once a year. Contact the attending veterinarian to conduct a site visit and document a PVC for the facility. Instructions for medications not labeled for guinea pig use must also be included in the PVC.

Correct by 4/16/2014.

3.26(b)

FACILITIES, INDOOR.

Ventilation.

There was a strong ammonia odor in the building during inspection. I could feel my eyes and throat burned due to the odor. Strong ammonia odors can make animals get sick and do poorly. The guinea pig area must have more fresh air flow while maintaining an inside temperature between 60 and 85 degrees F.

Correct by 4/8/14

3.28(a) REPEAT

PRIMARY ENCLOSURES.

***Outside edges of enclosures had signs that water and urine is soaking into the wood. Surfaces that have liquids soaking into them can cause animals to become sick. Surfaces that animals are in contact with must be maintained impervious to moisture (waterproof) so that they can be correctly cleaned and to promote the health of animals.

***Many areas by the water hoses and inside of enclosures had points of wire sticking into the enclosures. Wire points can hurt animals. Holes can allow animals to escape, become trapped, or fall from the enclosure and cause

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
07-APR-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:
07-APR-2014



Inspection Report

injury. Any areas that have holes or sharp points must be repaired or replaced to protect animals from injury or escape.

***At least three feeders were noticed to be rusty and have sharp edges. Rusty feeders cannot be cleaned good enough to protect animal health and sharp edges can injure animals. Repair or replace any feeder that is excessively rusty or that has sharp edges.

3.31(b) REPEAT

SANITATION.

Premises shall remain free of accumulations of trash.

The entry way inside of the animal area had a large pile of wet and empty feed sacks. Piles of trash creates an area for pests to live in and can spread disease. To promote animal health, the floors and animal areas must be kept free from piles of trash.

Inspection and exit interview conducted with facility representative.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
07-APR-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:
07-APR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327884	35-A-0347	001	JOSEPH KING	07-APR-14

Count	Scientific Name	Common Name
001057	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001057	Total	