



Inspection Report

Jesse Miller
E 16608 Hwy 82
Hillsboro, WI 54634

Customer ID: **335110**
Certificate: **35-A-0385**
Site: 001
JESSE MILLER

Type: ROUTINE INSPECTION
Date: 19-MAR-2018

3.6(a)(1)(x)

PRIMARY ENCLOSURES.

During inspection two eight week old puppies had access to the outdoor area where the floor panels have larger holes than in the sheltered area. The puppies' feet were seen passing through the holes during inspection. When puppies' legs pass through the floor they could get injured. The facility must ensure that the floors are constructed to not allow the dogs' or puppies' legs to pass through any openings in the floor.

Correct from this day forward. Note: The facility safely blocked the puppies' access to this area so that their feet aren't passing through the floor. Ensure the floor is fixed so feet don't pass through prior to allowing puppy access to the outdoor area.

This inspection and exit interview were conducted with facility representatives.

Prepared By: WELCH SCOTT, D V M USDA, APHIS, Animal Care

Date:
19-MAR-2018

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: FACILITY REPRESENTATIVE

Date:
19-MAR-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
335110	35-A-0385	001	JESSE MILLER	19-MAR-18

Count	Scientific Name	Common Name
000032	<i>Canis lupus familiaris</i>	DOG ADULT
000017	<i>Canis lupus familiaris</i>	DOG PUPPY
000049	Total	