United States Department of Agriculture
Animal and Plant Health Inspection Service

SWELCH
INS-0001696097

Inspection Report

Joseph Hochstetler

E 11461 US HWY 14
Soldiers Grove, WI 54655

Customer ID: **502598**
Certificate: **35-A-0410**
Site: 001
Joseph Hochstetler

Type: ROUTINE INSPECTION
Date: 28-SEP-2026

3.6(a)(2)(i)

Primary enclosures.

On the outdoor run portion of enclosures, the ceiling of multiple enclosures have a screw point that sticks down that some taller dogs could possibly contact. A screw point could injure animals. Ensure to maintain enclosures free from sharp points or edges that could injure dogs.
***Correct by October 1, 2026.

This inspection and exit interview were conducted with the licensee.

You may appeal all or part of any inspection report by submitting a written statement contesting the findings—along with any supporting documentation—to the Deputy Administrator. Appeals of routine, focused, or attempted inspections must be received within 21 days of report issuance as shown by the signature line of this report.

Appeals may be sent by email to AnimalCare@usda.gov.

Appeals sent by mail should be addressed to:
Deputy Administrator
APHIS Animal Care (AC)
U.S. Department of Agriculture
2150 Centre Avenue, Building B
Mailstop #3W11
Fort Collins, CO 80526-8117

Prepared By: SCOTT WELCH
USDA, APHIS, Animal Care
Date: 28-SEP-2026

Title: VETERINARY MEDICAL OFFICER

Received by Title: Licensee
Date: 28-SEP-2026

United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 502598
Inspection Date: 28-Sep-2026

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502598	35-A-0410	001	Joseph Hochstetler	28-SEP-2026

Count	Scientific Name	Common Name
000068	*Canis familiaris*	DOG ADULT
000067	*Canis familiaris*	DOG PUPPY
000135	**Total**	