



Inspection Report

Sharon Lanz
480 8th St Ne
Pine River, MN 56474

Customer ID: **2851**
Certificate: **41-A-0027**
Site: 001
SHARON LANZ

Type: ROUTINE INSPECTION
Date: 12-AUG-2014

3.1(c)(1)(2)

HOUSING FACILITIES, GENERAL.

The shelter structure in the enclosure on the northwest corner of the kennel has a strip of metal that has been pulled away from the frame of the shelter structure. The strip of metal creates a sharp edge that is a potential injury hazard to the two dogs housed within. The detached strip of metal must be secured or removed to prevent injury to the dogs. Correct by August 15, 2014.

Inspection and exit interview conducted with the licensee.

End of report.

Prepared By: KIMBERLY MILLER, A C I USDA, APHIS, Animal Care

Date:
12-AUG-2014

Title: ANIMAL CARE INSPECTOR 1070

Received by Title: LICENSEE

Date:
12-AUG-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2851	41-A-0027	001	SHARON LANZ	12-AUG-14

Count	Scientific Name	Common Name
000017	<i>Canis lupus familiaris</i>	DOG ADULT
000007	<i>Canis lupus familiaris</i>	DOG PUPPY
000024	Total	