



Inspection Report

Ted H Johnson
42875 375th Street
Windom, MN 56101

Customer ID: **21171**
Certificate: **41-A-0466**
Site: 001
TED JOHNSON

Type: ROUTINE INSPECTION
Date: 20-AUG-2014

2.40(b)(2) DIRECT REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Adequate Veterinary Care

A female Corgi (microchip number 003814847) had excessively long nails to the point that they were beginning to curl. Overgrown nails can result in abnormal gait, broken nails or lameness. Trim the nails of this dog and maintain appropriate methods of care such as regular nail trims to prevent them from being overgrown and to provide for the dogs' overall health and well-being.

A male Poodle (microchip number 087340601) was observed to have soaked fur around its mouth. Closer inspection revealed that a dark brown material was adhered to the surface of all the teeth. The upper and lower cheek and canine teeth had a gray colored creamy material along the gum line extending down into the spaces between the teeth. The upper left cheek teeth had a visible separation between the gums and the teeth. Failure to properly identify and treat dental health issues can lead to a poor state of health and nutrition by causing pain or leading to loose teeth, abscesses, and bone loss or infection. This dog must be examined by the attending veterinarian to receive veterinary care for this dental health issue. Documentation must be maintained by the licensee on the veterinary exam and treatment provided to this dog.

2.75(a)(1) REPEAT

RECORDS: DEALERS AND EXHIBITORS.

Records

The facility records do not contain all required information including the following:

- *The acquisition record for 1 male Bichon on loan for breeding (dog is not listed on APHIS Form 7005).
- *One disposition record for the same Bichon when it went back to the original owner.
- *The record of disposition for 9 puppies is not clearly and accurately completed resulting in unclear information as to exactly where the animals went to.

Prepared By: MELISSA RADEL, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2014

Title: COMPLIANCE SPECIALIST 1077

Received by Title: OWNER

Date:
20-AUG-2014



Inspection Report

Incomplete records do not allow for proper tracking of the animals. Maintain records that are complete, accurate and contain all required information.

3.1(b)

HOUSING FACILITIES, GENERAL.

Condition and site

There is a large round fan used for ventilation hanging from the ceiling on the left hand side of the housing facility as well as a ventilation fan on the ceiling in the middle of the building that both have a significant accumulation of animal hair, dust, cobwebs, and brown matter covering them. The enclosures under and around the large round fan have the same buildup on the tops of the wire enclosures. Areas around and in the housing area that are not maintained, cleaned and sanitized on a regular basis can harbor insects or bacteria, and can contaminate food or water supplies or cause animals to become ill. Soiled areas around and in the housing must be maintained, cleaned, sanitized, or replaced in order to satisfy husbandry requirements.

Correct by 8/23/2014

3.1(c)(1)(1)

REPEAT

HOUSING FACILITIES, GENERAL.

Surfaces--(1) General requirements.

***There were three occupied raised enclosures housing a total of 4 dogs where the metal wire mesh panels constructing the sides of the enclosures have rust leaving a rough surface to the wire.

***The heavy metal paneling used on one of the ground Corgi enclosures that housed 1 Corgi during the beginning of the inspection has areas of rust leaving a rough surface to the metal.

***A metal wire panel inside the sheltered portion of an enclosure housing 2 Corgis had an accumulation of rough rust covering the entire surface of the panel.

***In one of the raised enclosures housing one Pregnant Corgi there are wire 2 sided boxes on each of the 2 front corners of the enclosure that have been used in the past to keep a feed and water dish from moving. These metal wire boxes have excessive rust on them that the animal has direct access to.

Failure to maintain surfaces that can be readily cleaned and sanitized may increase disease hazards or affect structural strength. Replace, cover or repair rusted surfaces in these enclosures to ensure structural strength and cleaning and sanitizing of the surfaces.

3.1(c)(3)

REPEAT

HOUSING FACILITIES, GENERAL.

Prepared By: MELISSA RADEL, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2014

Title: COMPLIANCE SPECIALIST 1077

Received by Title: OWNER

Date:
20-AUG-2014



Inspection Report

(c) Surfaces--(3) Cleaning.

An accumulation of hair, and excreta is built up in the large sheltered exercise pen currently occupied by 2 Corgis and one large ground enclosure that was occupied by 1 Corgi at the beginning of the inspection but was moved during the inspection. Additionally, the ground enclosures had an excessive accumulation of a brown organic matter smeared on the white plastic side walls. Inadequate cleaning can increase disease hazards, odors, pests and soiling of the animals. Remove waste from the enclosures and maintain daily.

3.6(a)(2)(12)

PRIMARY ENCLOSURES.

General requirements.

The plastic mesh flooring for one primary enclosure housing an adult female Corgi was sagging in the middle. The sides of the flooring were detached from the supports allowing the floor to sag and leaving a gap at the edge of the flooring where it meets the sides. The gap could result in injury to the dog and sagging floor may affect the comfort of the dog and ability of it to move around in a normal manner around its enclosure. Repair or replace the flooring to prevent sagging.

Correct by 8/23/2014. Note: The licensee corrected this during the inspection.

3.6(c)(1)(1)

PRIMARY ENCLOSURES.

Additional requirements for dogs--Space.

One enclosure housing two adult dogs did not provide the minimum amount of floor space required. The enclosure measured 24 inches by 36 inches with food and water receptacles taking up .5 square feet of space and therefore providing a total of 5.5 square feet of floor space. The dogs measured 16 inches and 18.5 inches in length. These dogs housed together require a total of 7.53 square feet of floor space and therefore were short 2.03 square feet of floor space. Inadequate space could affect the comfort of the dogs and limits opportunity for exercise. Provide these dogs with the required minimum amount of floor space to ensure their health and well-being.

Correct by 8/23/2014.

Dog numbers 087340601, 003812574, 004039873, 072551323 and 108367547 as documented under 2.40(b)(2) on the previous inspection report dated April 23, 2014 have been addressed.

Inspection and exit interview were conducted with the owner.

Prepared By: MELISSA RADEL, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2014

Title: COMPLIANCE SPECIALIST 1077

Received by Title: OWNER

Date:
20-AUG-2014



Inspection Report

Additional Inspectors

Cox Brenton, Animal Care Inspector

Prepared By: MELISSA RADEL, A C I USDA, APHIS, Animal Care

Date:
20-AUG-2014

Title: COMPLIANCE SPECIALIST 1077

Received by Title: OWNER

Date:
20-AUG-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
21171	41-A-0466	001	TED JOHNSON	20-AUG-14

Count	Scientific Name	Common Name
000017	<i>Canis lupus familiaris</i>	DOG ADULT
000017	Total	