



Inspection Report

Elaine Jackson
Robert Jackson
2265 317th Street
Bedford, IA 50833

Customer ID: 5255
Certificate: 42-A-0537
Site: 001
ROBERT D & ELAINE JACKSON

Type: ROUTINE INSPECTION
Date: 29-MAY-2014

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries, and the availability of emergency, weekend, and holiday care

* The licensee has 3 bottles of medication inside of her whelping facility that were recently used or ready for use on her dogs and/or puppies. A transferred bottle of Oxytocin was found inside of the refrigerator that was labeled with "use as directed". The licensee had recently used this medication on a female Yorkshire Terrier/Chihuahua, tag #78. The licensee had no written instructions as to the dosage for this medication. A bottle of Bactracillin G Benzathine, labeled for use in cattle, was found inside of the refrigerator. The licensee had recently used this medication on a female Yorkshire Terrier, tag #265. The licensee had no written directions for appropriate use in dogs from a veterinarian. An expired bottle of Albon (exp date: 2/2014) was found inside the whelping building and ready for use on the dogs and/or puppies. Expired medications can lose its effectiveness and the ability to prevent and control disease. The licensee must ensure that all medications used in the facility are not expired and labeled properly in accordance with standard veterinary practices and manufacturer's recommendations.

* To be corrected by : 5/31/14

3.6(a)(2)(1)

PRIMARY ENCLOSURES.

(i) Have no sharp points or edges that could injure the dogs and cats;

* One enclosure (containing 3 dogs total) had wire jutting into the enclosure from the side at eye level. Two enclosures (containing 4 dogs total) had broken wires in the flooring that created sharp points. These sharp points could cause injury to the eyes or feet of the dogs. These sharp points need to be removed, repaired or replaced. Licensee must ensure that all enclosures are constructed and maintained to prevent sharp points from occurring and/or injuring the dogs.

* To be corrected by: 5/31/14

Prepared By: ANGELA DEPOE, A C I USDA, APHIS, Animal Care

Date:
30-MAY-2014

Title: ANIMAL CARE INSPECTOR 5050

Received by Title: CERTIFIED MAIL 70090820000008641201

Date:
29-MAY-2014



Inspection Report

3.6(a)(2)(2)

PRIMARY ENCLOSURES.

(ii) Protect the dogs and cats from injury

* Four enclosures (containing 10 dogs total) had gaps in the flooring either due to broken wires or where the floor was joined and had separated from each other. These gaps could pinch or allow the dogs feet and legs to pass through and cause injury. The flooring must be repaired or replaced to prevent the dogs feet and legs from becoming injured.

* To be corrected by: June 2, 2014

*** Inspection and verbal exit interview were conducted with facility representative on 5/29/14..

Additional Inspectors

Osborne Stephanie, Animal Care Inspector

Prepared By: ANGELA DEPOE, A C I USDA, APHIS, Animal Care

Date:
30-MAY-2014

Title: ANIMAL CARE INSPECTOR 5050

Received by Title: CERTIFIED MAIL 70090820000008641201

Date:
29-MAY-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5255	42-A-0537	001	ROBERT D & ELAINE JACKSON	29-MAY-14

Count	Scientific Name	Common Name
000060	<i>Canis lupus familiaris</i>	DOG ADULT
000019	<i>Canis lupus familiaris</i>	DOG PUPPY
000079	Total	