



Inspection Report

Arie Byl
Helen Byl
2647 400th Street
Sioux Center, IA 51250

Customer ID: **10752**
Certificate: **42-A-0791**
Site: 001
ARIE & HELEN BYL

Type: ROUTINE INSPECTION
Date: 11-AUG-2014

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A male beagle with no identification tag, had a buildup of a brown substance on his teeth. The buildup on the back teeth was so excessive that the teeth were no longer visible to the inspector. The licensee explained that the dogs do not get their teeth cleaned. Poor dental health can result in discomfort and an increase in disease risk to the dog. This beagle must be evaluated by a licensed veterinarian and the inspector advised licensee to have all of his dogs checked by a licensed veterinarian for dental problems.

Affects at least 1 dog
Correct by 08/18/14

3.1(c)(1)(1)

HOUSING FACILITIES, GENERAL.

Inside both buildings, the wire cage fronts on the dog enclosures are excessively rusty. The rust causes pitting of the wire which leads to the inability of the wire to be properly sanitized. The wire cage fronts need to be replaced or altered in a manner that allows for proper sanitization every two weeks.

Affects: 34 dogs
Correct by: 09/05/14

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

In both buildings, the flaps covering the access doors in all dog enclosures have been chewed by the dogs. The chewed and damaged areas of the flaps do not allow for proper cleaning and sanitization of the flaps. The flaps need to be replaced or altered in a manner that allows for proper cleaning and sanitization every two weeks.

Affects 25 dogs
Correct by: 09/05/14

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
22-AUG-2014

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: 7013 2630 0002 2760 9170

Date:
22-AUG-2014



Inspection Report

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

Some of the walls of the indoor dog enclosures have a buildup of dirt on them. The buildup of dirt and grime can leave the dogs exposed to disease hazards. All hard surfaces that come in contact with the dogs must be sanitized every two weeks to prevent the accumulation of dirt and grime.

Affects: 20 dogs

Correct by: 08/29/14

3.9(a)

FEEDING.

In the building that does not have a whelping area, there is a dog feeder that has moldy food inside of it. Moldy food can cause the dogs to be at risk for disease hazards. All food must be uncontaminated to reduce the risk of disease hazards.

Affects 3 dogs

Correct by: 08/11/14

3.11(b)(2)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

In the majority of the indoor dog enclosures, the water bowls have been chewed by the dogs. The chewed areas have a buildup of dirt and grime that has penetrated the surface of the receptacle. This damage does not allow for proper cleaning and sanitization of the bowl. The water bowls need to be replaced or altered in a manner that allows for proper cleaning and sanitization of the receptacle every two weeks.

Affects: 20 dogs

Correct by: 08/29/14

Exit interview conducted with facility representative

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:
22-AUG-2014

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: 7013 2630 0002 2760 9170

Date:
22-AUG-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
10752	42-A-0791	001	ARIE & HELEN BYL	11-AUG-14

Count	Scientific Name	Common Name
000034	<i>Canis lupus familiaris</i>	DOG ADULT
000021	<i>Canis lupus familiaris</i>	DOG PUPPY
000055	Total	