



Inspection Report

Brian Huffman
2596 370th Street
Osage, IA 50461

Customer ID: **18133**
Certificate: **42-A-0894**
Site: 001
BRIAN HUFFMAN

Type: ROUTINE INSPECTION
Date: 10-JUN-2014

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

(c) Surfaces- (3) Cleaning

In the indoor facility there is an excessive accumulation of hair, dirt, grime, and other organic material caught on the underside of the metal flooring. On the outside section of the sheltered facility "Trailer House", there is an excessive amount of hair, dirt, grime and other organic material caught on the underside of the metal flooring. On the outside section of several of the primary enclosures of the sheltered facility, "Trailer House", there is an accumulation of hair, dirt, grime, organic material and fecal material along the sides and walls. In all of the outdoor enclosures of the "Big Building" there is an accumulation of dust, dirt, and hair on top of the shelters. There is a chain link panel covering the exhaust fan on the wall of one enclosure that has an accumulation of hair, dust and dirt. This accumulation of hair, dust, dirt, grime, organic material and fecal material can become a disease hazard to the animals, produce odors, and attract pest and vermin. The licensee must clean the affected areas and ensure that all surfaces in contact with that animals are spot cleaned daily and sanitized at least once every two weeks or more often if necessary and all other surfaces of housing facilities are cleaned and sanitized when necessary to satisfy generally accepted husbandry standards and practices. This affects 101 adult dogs and 54 puppies.

To be corrected by: 15 June 2014

3.6(a)(2)(1)

PRIMARY ENCLOSURES.

Primary enclosures for dogs must meet the following minimum requirements:

(a) General requirements. (2) Primary enclosures must be constructed and maintained so that they: (i) Sharp points and/or edges

In at least 4 enclosures, affecting 9 dogs, there were metal water bowls that had areas of sharp points and edges. In one enclosure, affecting 2 dogs, the metal divider panel had rusted through at the bottom creating sharp points and edges. These sharp points and edges create a hazard that could cause injuries to the dogs. Licensee must repair or replace the affected water bowls and divider panel and ensure that all primary enclosures are free of sharp points

Prepared By: STEPHANIE OSBORNE, A C I USDA, APHIS, Animal Care

Date:
11-JUN-2014

Title: ANIMAL CARE INSPECTOR 5054

Received by Title: LICENSEE

Date:
11-JUN-2014



Inspection Report

and edges at all times.

To be corrected by: 14 June 2014

3.11(a) REPEAT

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

(a) Cleaning of primary enclosures.

The outside portion of two enclosure on the north side of the "Trailer house" , affecting four dogs, there is an excessive build up of compacted fecal material that was embedded on the flooring surface. This excessive amount of fecal material can harbor disease causing organisms and soil the dogs. The licensee must clean the affected enclosures and ensure that fecal material is removed from primary enclosures daily to prevent an excessive accumulation of feces and food waste and to reduce disease hazards pests, insects and odors.

This is a repeat non compliant item.

A joint inspection with Iowa Department of Agriculture and the licensee was conducted on 10 June14. An exit interview was conducted with the licensee on 11 June 14.

Additional Inspectors

Ranslem Corbin, Animal Care Inspector

Prepared By: STEPHANIE OSBORNE, A C I USDA, APHIS, Animal Care

Date:
11-JUN-2014

Title: ANIMAL CARE INSPECTOR 5054

Received by Title: LICENSEE

Date:
11-JUN-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
18133	42-A-0894	001	BRIAN HUFFMAN	10-JUN-14

Count	Scientific Name	Common Name
000066	<i>Canis lupus familiaris</i>	DOG ADULT
000138	<i>Canis lupus familiaris</i>	DOG PUPPY
000204	Total	