



Inspection Report

Jeff Denning
526 Main St
HOUGHTON, IA 52631

Customer ID: **35419**
Certificate: **42-A-1235**
Site: 001
JEFF DENNING

Type: ROUTINE INSPECTION
Date: 31-MAR-2022

2.40(b)(2)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

Male shih-tzu (microchip #941000017056453) has an abnormal condition of the eyes. Both eyes appear cloudy and an opaque area is located in the center of each eye. The edges of the opaque area have a blueish tint and the the white of both eyes has developed a slight redness. The facility has not noticed the condition of the dog's eyes and no treatment was currently being provided. Abnormal conditions of the eye could cause pain and discomfort to the dog.

Each dealer shall use appropriate methods to prevent, control, diagnose and treat diseases and injuries. This dog must be evaluated by a veterinarian for an accurate diagnosis and to develop an effective treatment plan. The licensee must ensure all dogs receive adequate veterinary care at all times.

To be corrected by: End of business 02-April-2022

3.6(c)(1)(i)

Primary enclosures.

Three adult dogs are housed in an enclosure that provides 9.53 square feet of floor space. Measurements of the 3 dogs revealed that they require a minimum floor space of 14.09 square feet when housed together. Enclosures that do not provided minimum floor space could have a negative impact on the health and well-being of the animals.

Prepared By: KELLY MAXWELL

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:
01-APR-2022

Received by Title: Facility Representative

Date:
01-APR-2022



Inspection Report

Each dog housed in a primary enclosure must be provided a minimum amount of floor space. The licensee must ensure that each dog is provided with the minimum amount of required floor space in order to support their health and well-being.

To be corrected by: From this day forward all dogs must be housed in enclosures providing at least the minimum amount of floor space.

3.11(b)(2)

Cleaning, sanitization, housekeeping, and pest control.

In the 2 adult rooms, housing at least 140 dogs, the metal feeders are only sanitized approximately once a month and the surfaces of the enclosures are not sanitized every two weeks. Failure to properly sanitize surfaces could increase the risk of disease towards the dogs.

Used primary enclosures and food and water receptacles for dogs must be sanitized at least once every 2 weeks and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards. The licensee must ensure all surfaces within the enclosure including the self-feeders are sanitized at least once every two weeks in order to protect the health and well-being of the dogs.

To be corrected by: 16-April-2022

This inspection and exit interview were conducted with the facility representative.

Prepared By: KELLY MAXWELL

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

01-APR-2022

Received by Title: Facility Representative

Date:

01-APR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
35419	42-A-1235	001	JEFF DENNING	31-MAR-2022

Count	Scientific Name	Common Name
000171	<i>Canis lupus familiaris</i>	DOG ADULT
000123	<i>Canis lupus familiaris</i>	DOG PUPPY
000294	Total	