



Inspection Report

David Troyer
15061 202nd Street
Bloomfield, IA 52537

Customer ID: **323550**
Certificate: **42-A-1404**
Site: 001
David Troyer

Type: ROUTINE INSPECTION
Date: 23-JUL-2015

3.4(b)

OUTDOOR HOUSING FACILITIES.

Shelter from the elements.

An adult male German Sheperd identified by microchip (075-880-845) was acquired by the licensee approximately two weeks ago. The dog is being kept in an outdoor enclosure that does not include a shelter structure. The enclosure has sheet metal on the roof and along the north and south sides. The east and west sides are constructed out of coated wire. The licensee stated that the pen is only used when quarantining new dogs. The licensee also stated the dog will be moved to the sheltered housing area when the test results are available and there are no health concerns.

Not having access to sheltered housing that will provide protection from direct effects of wind and rain can be stressful causing discomfort for the dog. The licensee must include one or more shelter structures that are accessible and that are large enough to allow the animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. Shelters in outdoor facilities for dogs must contain a roof, four sides, and a floor, and must provide the dogs with adequate protection and shelter from the cold, heat, wind, rain, snow and direct rays of the sun.

To be corrected by: July 27, 2015.

Exit briefing conducted with licensee.

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:
23-JUL-2015

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: LICENSEE

Date:
23-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
323550	42-A-1404	001	David Troyer	23-JUL-15

Count	Scientific Name	Common Name
000034	<i>Canis lupus familiaris</i>	DOG ADULT
000044	<i>Canis lupus familiaris</i>	DOG PUPPY
000078	Total	