



Inspection Report

Emanuel Nisley
23164 422nd Street
Chariton, IA 50049

Customer ID: **32338**
Certificate: **42-A-1415**
Site: 001
EMANUEL NISLEY

Type: ROUTINE INSPECTION
Date: 12-MAR-2014

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

(c) Surfaces--(3) Cleaning.

** The walls and flooring inside and outside of the shelter building has a buildup of dirt, oils and excreta residue. The dog houses in the shed have a buildup of dirt on the surfaces. This can contribute to odors, pest, and disease hazards. The surfaces must be sanitized to remove the dirt, oils and excreta residue to provide for the health and well-being of the animals.

All surfaces must be spot cleaned daily and sanitized at least every two weeks. To be corrected by: 03-24-14.

3.6(a)(2)(1)

PRIMARY ENCLOSURES.

** One enclosure had wire points on the partition creating sharp points inside of the enclosure. The sharp points are located so as contact with the dog in the enclosure is unlikely, but possible and could cause injury to the animal in the enclosure. The wire points must be removed and maintained. All enclosures must be free of sharp points or jagged edges that could injure the dogs. To be corrected by: 03-14-14.

This inspection and exit briefing conducted with the owner.

End of report.

Prepared By: JOHN LIES, A C I USDA, APHIS, Animal Care

Date:
12-MAR-2014

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: OWNER

Date:
12-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
32338	42-A-1415	001	EMANUEL NISLEY	12-MAR-14

Count	Scientific Name	Common Name
000050	<i>Canis lupus familiaris</i>	DOG ADULT
000028	<i>Canis lupus familiaris</i>	DOG PUPPY
000078	Total	