



Inspection Report

Fedler Ag Inc.
2294 162nd Street
West Point, IA 52656

Customer ID: **23282**
Certificate: **42-A-1428**
Site: 001
FEDLER AG INC

Type: ROUTINE INSPECTION
Date: 04-SEP-2014

2.126(a)(2) REPEAT

ACCESS AND INSPECTION OF RECORDS AND PROPERTY; SUBMISSION OF ITINERARIES.

Upon request to inspect the Dogs on Hand forms 7005's and Record of Disposition forms 7006's, the owner stated that he did not have accurate records and did not produce the records for inspection. Records must be available for inspection to ensure that they are accurate, in compliance with the Animal Welfare Act and enable USDA to properly track and identify animals at the facility. All dealers must allow APHIS officials to examine records required to be kept by the Act and the regulations.

3.6(a)(1)

PRIMARY ENCLOSURES.

Within the large building next to the east wall there is an enclosure that has a defective water nozzle that is connected to the automatic watering system. There is a constant stream of water coming out of the nozzle and pooling underneath the enclosure that contains one dog. There is a potential for the dog not to remain clean or dry. Unsanitary conditions exist if the water nozzle is defective and allows water to form a pool under the enclosures. The licensee must ensure that the primary enclosures are kept in good repair.

Corrected at time of inspection. Licensee replaced the defective water nozzle with one that works properly.

Exit interview conducted with licensee.

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:
04-SEP-2014

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: 7013 3020 0000 3623 4712

Date:
05-SEP-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
23282	42-A-1428	001	FEDLER AG INC	04-SEP-14

Count	Scientific Name	Common Name
000085	<i>Canis lupus familiaris</i>	DOG ADULT
000004	<i>Canis lupus familiaris</i>	DOG PUPPY
000089	Total	