



Inspection Report

JOHN LENGACHER KRISTINE LENGACHER
21984 Heather Rd
KEOSAUQUA, IA 52565

Customer ID: **507966**

Certificate: **42-A-1639**

Site: 001

JOHN J LENGACHER AND
KRISTINE LENGACHER

Type: ROUTINE INSPECTION

Date: 31-MAR-2022

3.10(a)

Watering

One enclosure housing two Shiba Inus has no water in the water bowl. The dogs drank normally when water was given. The licensee says the water bowls are usually filled at least twice a day. All other enclosures had water. Water must be continuously available to dogs. The situation was corrected immediately and the licensee will be connecting an automatic watering system within the next week.

This inspection and exit interview were conducted with the licensee.

Prepared By: WILLIAM JANECKE

USDA, APHIS, Animal Care

Date:
31-MAR-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
31-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
507966	42-A-1639	001	JOHN J LENGACHER AND KRISTINE LENGACHER	31-MAR-2022

Count	Scientific Name	Common Name
000014	<i>Canis lupus familiaris</i>	DOG ADULT
000007	<i>Canis lupus familiaris</i>	DOG PUPPY
000021	Total	