



Inspection Report

Christina Mast
Glen D Mast
14314 202nd St
Bloomfield, IA 52537

Customer ID: **506233**
Certificate: **42-B-0316**
Site: 001
CHRISTINA MAST

Type: ROUTINE INSPECTION
Date: 11-FEB-2020

2.40(b)(2) DIRECT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

In pen C3, female black and white guinea pig is non-weight bearing in the left hind leg and has poor eye health. Closer observation revealed that the joint located in the lower leg is swollen, reddened and slightly firm to the touch. The left eye is sealed shut by a brown crust located around the entire eye. Poor eye health and swollen joints could cause pain and discomfort to the animal as well as indicate an underlying health issues.

This guinea pig must be evaluated by a licensed veterinarian for a proper diagnosis and to develop an effective treatment plan. The licensee must ensure all guinea pigs receive adequate veterinary care at all times.

To be corrected by: Close of business February 13, 2020

3.26(b)

FACILITIES, INDOOR.

Within the indoor guinea pig building, the ammonia level is extremely high. The USDA inspector felt a burning sensation in her throat throughout the entire inspection and the USDA extern student felt a burning sensation in her eyes and throat throughout the inspection as well. High levels of ammonia could cause discomfort to the animals as well as lead to further health issues.

Indoor housing facilities for guinea pigs shall be adequately ventilated to minimize drafts, odors, and moisture condensation. The licensee must reduce the ammonia in the building to a level that will support the health and well-being of the guinea pigs. The licensee must ensure the ammonia remain at an appropriate level at all times.

To be corrected by: February 15, 2020

This inspection and exit interview were conducted with ACI Kelly Maxwell, a USDA veterinary student extern and the facility representative.

Prepared By: MAXWELL KELLY, A C I USDA, APHIS, Animal Care

Date:
11-FEB-2020

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: FACILITY REPRESENTATIVE

Date:
11-FEB-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
506233	42-B-0316	001	CHRISTINA MAST	11-FEB-20

Count	Scientific Name	Common Name
000295	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000295	Total	