



Inspection Report

Anna Mary Reiff
38866 Rocky Branch Rd
Latham, MO 65050

Customer ID: 9206
Certificate: 43-A-4696
Site: 001
ANNA MARY REIFF

Type: ROUTINE INSPECTION
Date: 10-MAR-2014

3.1(a)

HOUSING FACILITIES, GENERAL.

(a) Structure

***There were at least three enclosures in the sheltered portion of the facility which were in disrepair. The indoor portion of an enclosure housing an adult dog and ten of her approximately 4-day-old puppies had a back wall which was broken. A large section of the plastic-like wall covering was missing next to the access door and the wood structures underneath were exposed. Part of the wooden wall structure was also broken and an irregularly shaped hole was present in the wall. The hole was up to approximately 12 inches by 5 inches in size and a gap was present between the wooden wall and the next wooden structure behind the wall. The broken wall was at the level of the dogs and the hole was only a few inches from the flooring of the enclosure. Also, an enclosure housing five weaned puppies had a section of the wire wall in disrepair below the outdoor wire access door. This section of the wall had wires that were bent, with some of the wires broken, and some sharp wire ends protruding into the enclosure where an animal could easily come in contact with them. Another outdoor portion of an enclosure housing five weaned puppies had a section of wire wall in disrepair. An approximately 10 inch diameter hole was present at the top of the side of the wire wall. Several wires were irregularly bent in this area and at least four of the separated broken wires were long and protruding at various angles into the enclosure. At least one of these long wires was bent downward into the enclosure and the sharp end of it was at the level of the puppies. The broken, sharp wire ends, holes and the large gap in the wall increase the risk that the animals could become injured. The licensee must ensure that all animal housing facilities are kept in good repair and that they protect the animals from injury as well as contain the animals securely and restrict other animals from entering at all times. TO BE CORRECTED BY: March 15, 2014.

*Note: The female Doberman Pinscher (#075*056*265) which had been previously included on the report for the inspection conducted on February 19, 2013 under 2.40 (b)(2) had been addressed.

The inspection and exit interview were conducted with facility representatives.

Prepared By: ERIKA LEISNER, D V M USDA, APHIS, Animal Care

Date:
10-MAR-2014

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: FACILITY REPRESENTATIVE

Date:
10-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9206	43-A-4696	001	ANNA MARY REIFF	10-MAR-14

Count	Scientific Name	Common Name
000082	<i>Canis lupus familiaris</i>	DOG ADULT
000093	<i>Canis lupus familiaris</i>	DOG PUPPY
000175	Total	