



## Inspection Report

---

Santos Mondragon  
495 East Tarrant  
Stotts City, MO 65756

Customer ID: **35019**  
Certificate: **43-A-4805**  
Site: 001  
SANTOS MONDRAGON

Type: ROUTINE INSPECTION  
Date: 31-MAR-2014

---

### 3.4(b)(3)

#### OUTDOOR HOUSING FACILITIES.

Section 3.4 (b) (3) Shelter from the elements

\*\*\*\* There are four dog houses missing the wind/rain breaks from the entrances. The wind / rain breaks missing from the pens allow the dogs to be impacted by the weather. All dog houses need a wind/ rain break on the entrance to protect the dogs from the elements.

To be corrected by 04-30-2014

Exit interview conducted with facility representative.

---

Prepared By: DAVID COURTRIGHT, A C I USDA, APHIS, Animal Care

Date:  
31-MAR-2014

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:  
31-MAR-2014



## Species Inspected

| Cust No | Cert No   | Site | Site Name        | Inspection |
|---------|-----------|------|------------------|------------|
| 35019   | 43-A-4805 | 001  | SANTOS MONDRAGON | 31-MAR-14  |

| Count         | Scientific Name               | Common Name |
|---------------|-------------------------------|-------------|
| 000039        | <i>Canis lupus familiaris</i> | DOG ADULT   |
| 000018        | <i>Canis lupus familiaris</i> | DOG PUPPY   |
| <b>000057</b> | <b>Total</b>                  |             |