



Inspection Report

Norma Dake
1381 State Road Z
Climax Springs, MO 65324

Customer ID: **34830**
Certificate: **43-A-4978**
Site: 001
NORMA DAKE

Type: ROUTINE INSPECTION
Date: 28-SEP-2017

3.6(a)(2)(i)

PRIMARY ENCLOSURES.

-There were enclosures housing dogs that contained sharp points at the level of the dogs. One enclosure housing a young dog had an access door with metal flashing strips that were bent away from the wall on the upper corners of both sides around the door. The corners created sharp points projecting into the enclosure. Two additional enclosures had wire ends from the fencing pointing into the enclosures. There were at least 7 wire ends projecting upward and into one of the enclosures along the bottom of a fence. Sharp points increase the risk of injury to the dogs. The licensee must ensure that primary enclosures housing dogs are kept in good repair and contain no sharp points or edges that could injure the dogs at all times. To be corrected by: October 3, 2017

The inspection and exit interview were conducted with a facility representative on September 28, 2017.

Prepared By: LEISNER ERIKA, D V M USDA, APHIS, Animal Care

Date:
29-SEP-2017

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: SENT VIA EMAIL

Date:
29-SEP-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
34830	43-A-4978	001	NORMA DAKE	28-SEP-17

Count	Scientific Name	Common Name
000010	<i>Canis lupus familiaris</i>	DOG ADULT
000007	<i>Canis lupus familiaris</i>	DOG PUPPY
000017	Total	