



Inspection Report

Norma Dake
1381 State Road Z
Climax Springs, MO 65324

Customer ID: **34830**
Certificate: **43-A-4978**
Site: 001
NORMA DAKE

Type: ROUTINE INSPECTION
Date: 03-APR-2019

3.1(c)(1)(i)

HOUSING FACILITIES, GENERAL.

-The facility contains interior surfaces of housing facilities with excessive rust. There are at least 2 support poles for chain link fences for 3 enclosures that have rusted and have broken in half. These support poles are located between enclosures housing a total of 3 adult dogs. One of the rusted and broken support poles is at the bottom of the fence line separating 2 adult dogs, one male Golden Retriever and one female Golden Retriever. The chain link fence has also become detached from the support pole in this location leaving a large gap between the fence and support pole separating the two enclosures. This gap was large enough that the adult male dog was observed pushing on the fence and sticking his head through this broken area of the fence and into the enclosure housing the female dog next to his enclosure. The licensee must ensure that the interior surfaces and any surfaces that come in contact with the dogs is free of excessive rust that affects the structural strength of the surface or that prevents the required cleaning and sanitization of the surface. To be corrected by: April 10, 2019.

This inspection and exit interview were conducted with a facility representative.

Prepared By: LEISNER ERIKA, D V M USDA, APHIS, Animal Care

Date:
03-APR-2019

Title: VETERINARY MEDICAL OFFICER 6037

Received by Title: FACILITY REPRESENTATIVE

Date:
03-APR-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
34830	43-A-4978	001	NORMA DAKE	03-APR-19

Count	Scientific Name	Common Name
000010	<i>Canis lupus familiaris</i>	DOG ADULT
000009	<i>Canis lupus familiaris</i>	DOG PUPPY
000019	Total	