



Inspection Report

Judith A Bower
1181 S E 10th St.
Laredo, MO 64652

Customer ID: **42206**
Certificate: **43-A-5268**
Site: 002
JUDITH A. BOWER

Type: ROUTINE INSPECTION
Date: 13-MAR-2014

3.1(c)(1)(2)

HOUSING FACILITIES, GENERAL.

* The lip of a metal feeder in pen #3 (containing one dog) was worn to the point of having a jagged, sharp edge. This jagged edge could cause injury to the mouth or face of the animal. The licensee must repair or replace any surfaces that come in contact with dogs so that there are no sharp points or jagged edges of metal protruding into the enclosure that could injure the animals.

** To be corrected by: 3/14/14

3.2(b)

INDOOR HOUSING FACILITIES.

* A strong ammonia odor was present in the Whelp Building (housing nine puppies and ten dogs). This odor permeated throughout the building, irritating the inspectors nose and causing them to catch their breath. This odor can irritate the respiratory tracts of the puppies and dogs. Licensee must provide sufficient ventilation to provide for the animalsCBA health and well-being, and to minimize odors, drafts, ammonia levels, and moisture condensation.

** To be corrected by: 4/13/14

Prepared By: ANGELA DEPOE, A C I USDA, APHIS, Animal Care

Date:
13-MAR-2014

Title: ANIMAL CARE INSPECTOR 5050

Received by Title: OWNER

Date:
13-MAR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42206	43-A-5268	002	JUDITH A. BOWER	13-MAR-14

Count	Scientific Name	Common Name
000034	<i>Canis lupus familiaris</i>	DOG ADULT
000021	<i>Canis lupus familiaris</i>	DOG PUPPY
000055	Total	