



Inspection Report

Donald D Foster
2205 Cher Court
Macon, MO 63552

Customer ID: **5455**
Certificate: **43-A-5754**
Site: 001
DONALD D. FOSTER

Type: ROUTINE INSPECTION
Date: 25-MAY-2016

3.1(e)

HOUSING FACILITIES, GENERAL.

****Food Storage.

In one of the facility's buildings an approximately 2ft x 4ft plastic tote was used for storing open dog food that was about half full. There was no lid on this container or in the area. Food that is stored improperly can become spoiled, contaminated, and attract pests, which may harm the dogs. The licensee must ensure that all open food storage containers are leak-proof and have tight fitting lids to prevent contamination and spoilage.

To be corrected by : May 27, 2016.

3.6(a)(2)(1)

PRIMARY ENCLOSURES.

****Sharp points and edges.

Throughout the facility there was tie wire used to fasten panels. These tie wires were at dogs level and protruding into the enclosures causing sharp points. One enclosure with two dogs had a 1ft x 2ft piece of ripped up sheet metal with sharp points and edges on the ground inside where dogs are. This sheet metal was removed by the licensee after the inspector pointed it out. Another enclosure with two dogs, had a wire pointing in about a foot above the top of the feed bowl. That same enclosure had sharp points from the divider panel above the water receptacle. When the dogs were drinking their heads were against these wires. Sharp points or edges could injure the dogs. The applicant must ensure that all enclosures are free of sharp points and edges.

To be corrected by: May 28, 2016.

3.11(b)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

****Clean water receptacles.

The water receptacles in 4 enclosures affecting 11 dogs had debris and green algae like substance along the inside surfaces. The water inside the receptacles appeared to be brown in some receptacles and green in others. Water receptacles which are not properly cleaned or sanitized can harbor disease-causing organisms. This could decrease the animals acceptability of the water, as well as increase the risk of disease. The licensee must ensure that all water receptacles are sanitized at least once every 2 weeks and more often if necessary to prevent an

Prepared By: CHAD PROCTOR, A C I USDA, APHIS, Animal Care

Date:
25-MAY-2016

Title: ANIMAL CARE INSPECTOR 6044

Received by Title: LICENSEE

Date:
25-MAY-2016



Inspection Report

accumulation of dirt, debris, food waste and other disease hazards.

To be corrected by: May 27, 2016.

The inspection and exit interview were conducted with licensee and Chad Proctor ACI.

Prepared By: CHAD PROCTOR, A C I USDA, APHIS, Animal Care

Date:
25-MAY-2016

Title: ANIMAL CARE INSPECTOR 6044

Received by Title: LICENSEE

Date:
25-MAY-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5455	43-A-5754	001	DONALD D. FOSTER	25-MAY-16

Count	Scientific Name	Common Name
000025	<i>Canis lupus familiaris</i>	DOG ADULT
000023	<i>Canis lupus familiaris</i>	DOG PUPPY
000048	Total	