



Inspection Report

William Yoder
13480 E. Hwy. W
El Dorado Springs, MO 64744

Customer ID: **330795**
Certificate: **43-A-5839**
Site: 002
WILLIAM YODER

Type: ROUTINE INSPECTION
Date: 20-JUL-2016

3.6(c)(1)(3)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures. (c) Additional requirements for dogs--(1) Space.(iii)

**** There are 9 out of 28 pens having wire tops, as the licensee stated the tops are on there to prevent the dogs from escaping. Those pens only have 3-5 inches height clearance when the dogs are in a normal standing position. Not meeting the minimum 6 inch height requirement means the dog can not stand in a comfortable normal standing position. You must design and maintain the pens that meet the minimum 6 inch height requirement and allows the dog to stand in a comfortable normal position.

To be corrected by: 08-20-2016

Inspection and Exit interview conducted with facility representative.

Prepared By: DAVID COURTRIGHT, A C I USDA, APHIS, Animal Care

Date:
20-JUL-2016

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:
20-JUL-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
330795	43-A-5839	002	WILLIAM YODER	20-JUL-16

Count	Scientific Name	Common Name
000052	<i>Canis lupus familiaris</i>	DOG ADULT
000012	<i>Canis lupus familiaris</i>	DOG PUPPY
000064	Total	