



Inspection Report

Diane Shortt Hillis Shortt
Rt 3 Box 7346
Ava, MO 65608

Customer ID: **333918**
Certificate: **43-A-6002**
Site: 001
Diane Shortt, Hillis Shortt

Type: ROUTINE INSPECTION
Date: 06-SEP-2023

3.10(c)

Watering

Four of the water receptacles in the outdoor enclosures had a coating of dark grime on the inside surface. The grime can contaminate the water and it may not be potable. The water receptacles must be cleaned and sanitized and maintained. Water receptacles must be kept clean and sanitized in accordance with § 3.11(b).

To be corrected by: 7 September 2023

This inspection and exit interview were conducted with facility representatives.

Prepared By: KATHRYN VERNON
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
07-SEP-2023

Received by Title: Facility Representative

Date:
07-SEP-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
333918	43-A-6002	001	Diane Shortt, Hillis Shortt	06-SEP-2023

Count	Scientific Name	Common Name
000012	<i>Canis familiaris</i>	DOG PUPPY
000006	<i>Canis familiaris</i>	DOG ADULT
000018	Total	