



Inspection Report

Albert J Troyer
374 Audrain Road 140
CLARK, MO 65243

Customer ID: **335493**
Certificate: **43-A-6158**
Site: 001
Albert J Troyer

Type: ROUTINE INSPECTION
Date: 14-JUL-2021

3.1(a)

Housing facilities, general.

In one of the enclosures, with 3 dogs, there was a hole in the back wall of the enclosure above the dog entry door. The hole was approximately 6 inches wide and 12 inches long. The dogs had chewed the wall material and most of the 2x4 inside the wall. Having a hole in the wall can cause harm to the dogs and does not allow for proper cleaning and disinfection. The licensee must repair the hole in this enclosure.

To be corrected by 16 July 2021.

3.9(a)

Feeding

At least two self feeders had a mold like substance on the inside wall of the feeder that was hanging outside of the enclosure. The mold like substance was in contact with the feed that would be presented to the dogs. Contaminated food can decrease the dog's acceptance of the food and can increase the risk of disease and health hazards. The licensee needs to remove the current moldy feeders to protect the health and well-being of the dogs. The licensee needs to establish and maintain a program to ensure that feeders are cleaned and food is protected from contamination.

To be corrected by: Corrected during inspection.

This inspection and exit interview were conducted with a facility representative.

Prepared By: CHAD PROCTOR

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:
16-JUL-2021

Received by Title: Facility Representative

Date:
16-JUL-2021



Inspection Report

Prepared By: CHAD PROCTOR

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

16-JUL-2021

Received by Title: Facility Representative

Date:

16-JUL-2021



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
335493	43-A-6158	001	Albert J Troyer	14-JUL-2021

Count	Scientific Name	Common Name
000065	<i>Canis lupus familiaris</i>	DOG ADULT
000052	<i>Canis lupus familiaris</i>	DOG PUPPY
000117	Total	