



Inspection Report

Sam Hostetler
4858 Lawrence 1185
Miller, MO 65707

Customer ID: 7785
Certificate: 43-B-0361
Site: 003
SAM HOSTETLER

Type: ROUTINE INSPECTION
Date: 12-MAY-2014

3.125(a)

FACILITIES, GENERAL.

(a) Structural strength.

***The framework for the Tiger enclosures, the Bear enclosure and portions of the wire panels are rusted. There is a wire panel on the front portion of the Bear enclosure that has a broken cross wire. The wires around this break are rusted and bent. Left unattended, the rust can worsen the structural strength of the enclosure allowing for injury or escape. The licensee must repair this broken area and assure that all areas of rust are kept in good repair as required.

To be corrected by May 30, 2014.

3.125(d) DIRECT

FACILITIES, GENERAL.

(d) Waste disposal.

***In the Tiger enclosures there were feathers, bones, left-over turkey parts that were covered with flies, leaves, dirt and other debris on the floor portion. The facility representative stated that the Tigers had been fed on 5/10/14. There were also piles of debris that had been cleaned out of the enclosures that were placed up against the dens just outside the enclosures. Old food, debris and other waste materials that are not removed from the enclosures increases the risk of disease by attracting pest and providing a harboring place for them. The licensee must remove the waste material from these enclosures and assure that all enclosures are cleaned as required.

3.131(a) DIRECT REPEAT

SANITATION.

Cleaning of enclosures.

***In the Bear enclosure the waste material drain was full of liquid, shavings and fecal material. There were piles of fecal material on the floor of the enclosure from the drain out to the edge of the den doorway and up to the front of the enclosure. The Bear was observed walking through the feces when he walked on this side of the enclosure and

Prepared By: BEVERLY HICKS, A C I USDA, APHIS, Animal Care

Date:
13-MAY-2014

Title: ANIMAL CARE INSPECTOR 5051

Received by Title: LICENSEE

Date:
15-MAY-2014



Inspection Report

turned around. Paw prints of feces were on the right side of the enclosure floor. At least one of the piles of feces was covered with a white coating. Among the feces was several areas of standing liquid. The liquid was a brownish/rusty color. Waste materials that are not removed from the enclosures can soil the animals and increase the risk of disease by attracting pest and providing a harboring place for them. The licensee must remove the waste material from the enclosure and assure that all enclosures are cleaned as required.

The inspection and exit conference were conducted with the facility representative.
An additional exit conference was conducted with the licensee on 5/13/14.
End of report.

Prepared By: BEVERLY HICKS, A C I USDA, APHIS, Animal Care

Date:
13-MAY-2014

Title: ANIMAL CARE INSPECTOR 5051

Received by Title: LICENSEE

Date:
15-MAY-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
7785	43-B-0361	003	SAM HOSTETLER	12-MAY-14

Count	Scientific Name	Common Name
000002	<i>Panthera tigris</i>	TIGER
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000003	Total	