



Inspection Report

Tom Nelson
28696 JET RD
MACON, MO 63552

Customer ID: **4467**
Certificate: **43-B-3425**
Site: 001
TOM NELSON

Type: ROUTINE INSPECTION
Date: 20-MAY-2022

3.6(a)(2)(i)

Primary enclosures.

Throughout the facility there were broken wires causing sharp points. The facility, had multiple areas along the enclosure fencing, and divider panels, with broken wires and/or loose wires causing sharp points. Also the wind/rain breaks on the large dog shelters had sheet metal that was loose causing sharp edges. These sharp points and edges affected approximately 24 dogs. Most of these sharp points were wires used for fastening or were broken wires that had sharp ends which were protruding into the enclosures at the dogs' level. The sharp points can injure the dogs. The licensee must ensure that all enclosures have no sharp points or edges that could injure the dogs.

To be corrected by: May 22, 2022

This inspection and exit interview were conducted with the licensee.

Prepared By: CHAD PROCTOR
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
23-MAY-2022

Received by Title: Licensee

Date:
23-MAY-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4467	43-B-3425	001	TOM NELSON	20-MAY-2022

Count	Scientific Name	Common Name
000070	<i>Canis lupus familiaris</i>	DOG ADULT
000009	<i>Canis lupus familiaris</i>	DOG PUPPY
000079	Total	