



Inspection Report

Faye J Teetzen
2475 2300 Ave
Junction City, KS 66441

Customer ID: **4142**
Certificate: **48-A-0843**
Site: 001
FAYE TEETZEN

Type: ROUTINE INSPECTION
Date: 24-JUN-2015

2.75(a)(1)

RECORDS: DEALERS AND EXHIBITORS.

* The cage card information attached to two enclosures containing eight puppies were incomplete. The identification, breed and sex of the puppies were missing. Complete and accurate records are needed to ensure each puppies identity can be known with certainty and to facilitate the ability to trace all puppies. The licensee must maintain complete and accurate records of all puppies at their facility. Correct by 7/9/15.

3.1(a)

HOUSING FACILITIES, GENERAL.

* An estimated two inch gap exists between the entrance gate and wood frame in one enclosure due to deterioration or wood rot. The gap exists along the top where the enclosure gate was originally attached to the enclosure frame. In addition, the enclosure gate was observed to be sagging downwards. Three dogs are in contact with the affected area located in sheltered housing. Deterioration or wood rot can affect the structural strength and integrity of all wood surfaces. This affects the ability of the enclosure to protect the animals from injury and to contain the animals securely. The licensee must ensure that housing facilities are structurally sound, must be kept in good repair, protect the animals from injury and contain the animals securely. Correct by 7/8/15.

3.6(a)(2)(1)

REPEAT

PRIMARY ENCLOSURES.

* Broken, protruding wires with sharp points were observed along the bottom of two divider enclosure panels. Three dogs are in contact with the affected wiring located in sheltered housing. Sharp points could injure the dogs. The licensee must ensure that all primary enclosures are constructed so that they do not have any sharp points that could cause injury.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
29-JUN-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
29-JUN-2015



Inspection Report

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

* The feet and legs of at least one puppy were observed passing through the enclosure floor openings. Three puppies are in contact with the affected flooring located in sheltered housing. Flooring that allows the feet and legs to pass through the openings could lead to injury. In addition, how the puppies walk on the flooring is affected. The licensee must ensure that the flooring does not allow the feet or legs to pass through the openings in the floor. Correct by 7/1/15.

* The facility inspection done on 6/24/15 and exit briefing done on 6/29/15 were conducted with the licensee.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
29-JUN-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
29-JUN-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4142	48-A-0843	001	FAYE TEETZEN	24-JUN-15

Count	Scientific Name	Common Name
000024	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
000032	Total	