



Inspection Report

Joyce Cairns
375 N 100TH RD
GLASCO, KS 67445

Customer ID: **4176**
Certificate: **48-A-1027**
Site: 001
Joyce Cairns

Type: FOCUSED INSPECTION
Date: 12-JAN-2022

3.10(a) **Direct** **Repeat**

Watering

There is nothing being done to protect the drinking water from freezing. The facility representative acknowledged that when the ambient temperatures falls below freezing, the drinking water is freezing over night when they are not out to attend to it. When searching noaa.gov for the licensee's zip code, the lowest overnight temperatures within the last three days ranged from 21 to 26 degrees F. Dogs that do not have continuous access to water can become dehydrated and inadequate water consumption can exacerbate some medical problems. The licensee must ensure that potable water is continuously available to the dogs. Frozen water is not potable water as it cannot be consumed.

This inspection and exit interview were conducted with the facility representatives.

Prepared By: MARGARET SHAVER
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
13-JAN-2022

Received by Title: Licensee

Date:
13-JAN-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4176	48-A-1027	001	Joyce Cairns	12-JAN-2022

Count	Scientific Name	Common Name
000009	<i>Canis lupus familiaris</i>	DOG ADULT
000009	Total	