



Inspection Report

Kathy Clarke
William Clarke
172 Willow Rd
Yates Center, KS 66783

Customer ID: **5684**
Certificate: **48-A-1275**
Site: 001
WILLIAM & KATHY CLARKE

Type: ROUTINE INSPECTION
Date: 22-JUL-2015

3.6(a)(2)(1)

PRIMARY ENCLOSURES.

Enclosures must protect dogs from injury. A west out door housing enclosure containing 2 dogs has sharp points. The sharp points are wire along the bottom of the chain link fencing and are protruding into dog enclosure. Sharp points can injure dogs. The owner must remove, repair, or correct the bottom of this fence to remove the sharp points. This will help ensure dogs have a safe enclosure to reside. Correct by 07-30-2015

This inspection and exit briefing were conducted with the facility representative and Karl Thornton, ACI.

Prepared By: KARL THORNTON, A C I USDA, APHIS, Animal Care

Date:
24-JUL-2015

Title: ANIMAL CARE INSPECTOR 4055

Received by Title: OWNER

Date:
24-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5684	48-A-1275	001	WILLIAM & KATHY CLARKE	22-JUL-15

Count	Scientific Name	Common Name
000066	<i>Canis lupus familiaris</i>	DOG ADULT
000019	<i>Canis lupus familiaris</i>	DOG PUPPY
000085	Total	