



Inspection Report

Kelvin Blecha
Marcia L Blecha
P O Box 222
Belleville, KS 66935

Customer ID: **28811**
Certificate: **48-A-1846**
Site: 001
Kelvin Blecha, Marcia Blecha

Type: ROUTINE INSPECTION
Date: 28-JAN-2015

2.50(a)(2)

TIME AND METHOD OF IDENTIFICATION.

* There was no record of inventory present on "unweaned" puppies born at the facility. No inventory information was attached to ten enclosures containing seven "unweaned" puppies. If any puppy born on the premise has been recorded on USDA official 7005 forms, then the enclosure must have the following information attached to it: dealer's USDA license number, the letters USDA and the number identifying each puppy in that litter. If no offspring have been recorded on USDA official 7005 forms, then the following information must be recorded and attached to the enclosure. The dealer's USDA number, the number identifying each puppy, the date of birth of the litter, the dam's ID number, a description of each puppy (breed, sex, color and any distinctive markings). The inventory information records must be maintained with all corresponding 7006's for one year. If the licensee chooses to identify the "unweaned" puppies with official USDA identification (collar, tattoo or microchip), then no inventory information is required on the enclosure. Complete and accurate records are needed to ensure that every puppy's identity can be known with certainty and to facilitate the ability to trace all puppies. The licensee must maintain complete and accurate records of all puppies at all times at their facility. Correct by 2/28/15.

3.1(c)(1)(1)

HOUSING FACILITIES, GENERAL.

* Excessive rust was observed along the bottom of one enclosure gate and on the galvanized fencing located below. Two dogs are in contact with the affected area located in outdoor housing. The enclosure gate and panel had a roughened surface and appeared to be flaking. Rust can erode and deteriorate all metal surfaces to the point that the metal surfaces can no longer be readily cleaned and sanitized. Excessive rust affects the structural integrity of all metal surfaces. Licensee must ensure that this and all other surfaces are free of rust and of good structural strength. Correct by 2/28/15.

3.1(c)(3) REPEAT

HOUSING FACILITIES, GENERAL.

* There is a mixture of cobwebs, dirt, grease and other excreta accumulating on the fiberglass wall boards in eight enclosures and six metal entryway doors. Fourteen dogs are in contact with the affected surfaces located in shelter housing. The affected area covers approximately 25 to 40 percent of the fiberglass wall boards and 50 to 75

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
29-JAN-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
29-JAN-2015



Inspection Report

percent of the metal entryway doors.. Sanitization of surfaces is necessary to prevent an accumulation of excreta and other disease hazards. It indicates an unsanitary living condition exists that could lead to potential disease or health risks. The licensee must ensure that all surfaces are spot cleaned daily and sanitized in accordance with section 3.11 (b).

* The facility inspection done on 1/28/15 and the exit briefing done on 1/29/15 were conducted with the licensee.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
29-JAN-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
29-JAN-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
28811	48-A-1846	001	Kelvin Blecha, Marcia Blecha	28-JAN-15

Count	Scientific Name	Common Name
000048	<i>Canis lupus familiaris</i>	DOG ADULT
000007	<i>Canis lupus familiaris</i>	DOG PUPPY
000055	Total	