



Inspection Report

Robert Martin
2303 Spence Ave
Hollenberg, KS 66946

Customer ID: **5865**
Certificate: **48-A-1939**
Site: 001
Robert Martin

Type: ROUTINE INSPECTION
Date: 16-DEC-2014

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

* There is a mixture of dirt, grease and other excreta on six fiberglass entryway inserts. The inserts are located in the north shelter building. Nine dogs are in contact with the affected inserts. The affected area covers approximately 25 to 50 percent of the insert surface area. Sanitization of surfaces is necessary to prevent an accumulation of excreta and other disease hazards. It indicates an unsanitary living condition exists that could lead to potential disease or health risks. The licensee must ensure that all surfaces are spot-cleaned daily and sanitized at least once every two weeks or more often if needed in accordance with section 3.11 B. Correct by 12/18/14.

* The facility inspection and verbal exit briefing done on 12/16/14 were conducted with the licensee.

* Copy of inspection report was sent by certified and regular mail.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
17-DEC-2014

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: 70120470000071648100

Date:
17-DEC-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5865	48-A-1939	001	Robert Martin	16-DEC-14

Count	Scientific Name	Common Name
000079	<i>Canis lupus familiaris</i>	DOG ADULT
000027	<i>Canis lupus familiaris</i>	DOG PUPPY
000106	Total	