



Inspection Report

Hallie Ade
6832 E. Mentor Rd
Gypsum, KS 67448

Customer ID: **12658**
Certificate: **48-A-2111**
Site: 001
Hallie Ade

Type: ROUTINE INSPECTION
Date: 11-SEP-2015

2.50(a)(2)

TIME AND METHOD OF IDENTIFICATION.

* Four young dogs less than 16 weeks in age and weaned did not have official identification on them at time of facility inspection. The four young dogs are being housed in outdoor housing. The licensee is using microchips as the official identification. Official identification is needed to ensure that each animals identity can be known with certainty and to facilitate the inspection process. The licensee must ensure that all animals less than 16 weeks of age shall have official identification on them. Correct by 10/11/15.

3.1(a) REPEAT

HOUSING FACILITIES, GENERAL.

* A two to three inch gap along the bottom was observed between one enclosure gate and the cinder block wall used to secure the gate to. Two dogs are in contact with the affected area located in outdoor housing. The potential for injury and stress exists if the dog gets caught between the enclosure gate and fencing. The licensee must keep the facilities in good repair to protect the animals from injury and contain the animals securely.

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

* Deterioration of the exterior wall wood surface has created a hole along the bottom of one shelter housing. Four young dogs are in contact with the affected surface located in outdoor housing. This indicates that unsanitary conditions and a potential disease risk exist when the affected surface cannot be readily cleaned and sanitized. The licensee must ensure that all surfaces are maintained on a regular basis and if any surface cannot be readily cleaned and sanitized it must be replaced when worn or soiled. Correct by 9/15/15.

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
14-SEP-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
14-SEP-2015



Inspection Report

3.1(c)(3)

HOUSING FACILITIES, GENERAL.

* There is a mixture of dirt, grease and other excreta on one metal entryway door, metal flashing and the exterior fiberglass wall in one enclosure. Four young dogs are in contact with the affected surfaces located in outdoor housing. The affected area covers approximately 50 percent of the fiberglass wall area, 75 percent of the metal entryway door and 25 percent of the metal flashing. The licensee stated that the affected surfaces were last cleaned and sanitized approximately seven weeks ago. Cleaning and sanitization of surfaces are necessary to prevent an accumulation of excreta and other disease hazards. This indicates an unsanitary living condition exists that could lead to potential disease risks. The licensee must ensure that all surfaces are spot cleaned on a daily basis and sanitized in accordance with 3.11 (b). Correct by 9/15/15.

* One dog (microchip number 095 065 077) cited under 2.40 b 2 as a repeat noncompliance on the June 23, 2015 inspection report was examined by a licensed veterinarian. Proper documentation was provided by the licensee.

* The facility inspection and verbal exit briefing done on 9/10/15 were conducted with the licensee, Karl Thornton ACI and Robert Bacon ACI.

* The exit briefing done on 9/14/15 were conducted with the licensee and Robert Bacon ACI.

Additional Inspectors

Thornton Karl, Animal Care Inspector

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
14-SEP-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: OWNER

Date:
14-SEP-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
12658	48-A-2111	001	Hallie Ade	11-SEP-15

Count	Scientific Name	Common Name
000022	<i>Canis lupus familiaris</i>	DOG ADULT
000004	<i>Canis lupus familiaris</i>	DOG PUPPY
000026	Total	