



Inspection Report

Virginia Hinderer
1336 S W 85th St.
Wakarusa, KS 66546

Customer ID: **328064**
Certificate: **48-A-2139**
Site: 001
Virginia Hinderer

Type: ROUTINE INSPECTION
Date: 07-APR-2015

3.9(b)

FEEDING.

* The entire top of two plastic food receptacles is chewed exposing a roughened, jagged edge. The receptacles used by three dogs are located in indoor housing. A chewed, roughened, jagged surface cannot be easily cleaned and sanitized. In addition, it could harbor bacteria and other disease causing agents that can affect the health and wellbeing of the dogs. The licensee must ensure that all receptacles can be properly cleaned and sanitized at all times. Correct by 4/21/15.

3.10

WATERING.

* The entire top edge of three plastic water receptacles used by four dogs are chewed exposing a roughened, jagged edges. The receptacles are located in shelter housing. A chewed and roughened surfaces cannot be easily cleaned and sanitized. In addition, it could harbor bacteria and other disease causing agents that can affect the health and wellbeing of the dogs. The licensee must ensure that all receptacles can be properly cleaned and sanitized at all times. Correct by 4/21/15.

* The facility inspection and verbal exit briefing done on 4/7/15 were conducted with the licensee, Robert Bacon ACI and Dr. Michael Tygart VMO.

* Copy of the inspection report were sent by certified and regular mail.

Additional Inspectors

Tygart Michael, Supervisory Animal Care Specialist

Prepared By: ROBERT BACON, A C I USDA, APHIS, Animal Care

Date:
08-APR-2015

Title: ANIMAL CARE INSPECTOR 4001

Received by Title: 70141820000126228550

Date:
08-APR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
328064	48-A-2139	001	Virginia Hinderer	07-APR-15

Count	Scientific Name	Common Name
000050	<i>Canis lupus familiaris</i>	DOG ADULT
000026	<i>Canis lupus familiaris</i>	DOG PUPPY
000076	Total	