



## Inspection Report

Connie Fahey  
2050 N 270th Road  
Clyde, KS 66938

Customer ID: **4251**  
Certificate: **48-A-2194**  
Site: 001  
CONNIE FAHEY

Type: ROUTINE INSPECTION  
Date: 26-APR-2017

### 2.75(a)(1)

#### RECORDS: DEALERS AND EXHIBITORS.

One adult female Golden Retriever is not accounted for on the APHIS 7005 form (Dogs on Hand). There are also six dogs listed on the APHIS 7005 form with no identification number included in the required information. Proper record keeping is essential for tracking the movement of animals and to facilitate the inspection process. The licensee must make, keep, and maintain records or forms which fully and correctly disclose the required information concerning each dog purchased or otherwise acquired, owned, held, or otherwise in his or her possession or under his or her control, or which is transported, euthanized, sold, or otherwise disposed of by that dealer or exhibitor. To be corrected by 10 May 2017.

### 3.3(a)

#### SHELTERED HOUSING FACILITIES.

The temperature in the large dog sheltered building as measured by the inspector's Kestrel thermometer is 49.3 degrees F at the time of inspection (about 10:30 am). The temperature in the new round sheltered building is 49.7 degrees F. The heat was not turned on in these buildings over night and only the screen door was closed on the round building allowing airflow into the building. When searching for the licensee's zip code in noaa.gov, the recorded low temperature last night was 38 degrees F. There a bean-bag bed in one enclosure in the large dog building but otherwise, no other enclosures in either building have bedding, solid resting boards, or other methods of conserving body heat. Lack of bedding in cold weather can result in dogs that cannot maintain a safe body temperature and is uncomfortable. The licensee must ensure that dry bedding, solid resting boards, or other methods of conserving body heat must be provided when temperatures are below 50 degrees F. To be corrected before the next time the temperature is below 50 degrees in these sheltered buildings.

### 3.4(b)(4)

#### OUTDOOR HOUSING FACILITIES.

Two outdoor enclosures housing a total of seven dogs do not have bedding in the shelter structures. These dogs were in these enclosures last night. At the time of inspection, the inspector's Kestrel thermometer registered the ambient temperature at 47.4 degrees F. When searching for the licensee's zip code in noaa.gov, the recorded low temperature last night was 38 degrees F. Lack of bedding in cold weather can result in dogs that cannot maintain a

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care

Date:  
26-APR-2017

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:  
26-APR-2017



## Inspection Report

---

safe body temperature and is uncomfortable. The licensee must ensure that outdoor shelter structures contain clean, dry, bedding material if the ambient temperature is below 50 degrees F. Additional clean, dry bedding is required when the temperature is 35 degrees F or lower. To be corrected before the temperature is below 50 degrees F and dogs are housed in these outdoor enclosures.

### 3.6(c)(1)(iii)

#### PRIMARY ENCLOSURES.

The indoor portion of one sheltered enclosure does not provide at least 6 inches of space above the heads of the poodle and golden-doodle housed within it. Lack of adequate head spaces limits the ability of the dogs to make postural adjustments and move freely. The licensee must ensure that the interior height of a primary enclosure must be at least 6 inches higher than the head of the tallest dog in the enclosure when it is in a normal standing position. One dog was moved from this enclosure at the time of inspection. To be corrected by 28 April 2017.

### 3.7(c)

#### COMPATIBLE GROUPING.

A Yorkshire Terrier with three of her puppies (DOB 2/26/17) are housed in the same enclosure as an adult female "Shorkie-poo". Adult dogs that are not the dam of those puppies that are housed with puppies less than 4 months of age can result in injury to the puppies as well as conflict with the dam. The licensee must ensure that puppies 4 months of age or less may not be housed in the same primary enclosure with adult dogs other than their dams or foster dams, Corrected at the time of inspection.

This inspection and exit interview were conducted with facility representatives.

---

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care

Date:  
26-APR-2017

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:  
26-APR-2017



## Species Inspected

| Cust No | Cert No   | Site | Site Name    | Inspection |
|---------|-----------|------|--------------|------------|
| 4251    | 48-A-2194 | 001  | CONNIE FAHEY | 26-APR-17  |

| Count         | Scientific Name               | Common Name |
|---------------|-------------------------------|-------------|
| 000063        | <i>Canis lupus familiaris</i> | DOG ADULT   |
| 000032        | <i>Canis lupus familiaris</i> | DOG PUPPY   |
| <b>000095</b> | <b>Total</b>                  |             |