



Inspection Report

Jerry Nelson
Jo Ann Nelson
22549 C Rd
Soldier, KS 66540

Customer ID: **1390**
Certificate: **48-B-0070**
Site: 001
JERRY & JO ANN NELSON

Type: ROUTINE INSPECTION
Date: 27-FEB-2020

3.6(a)(2)(i)

PRIMARY ENCLOSURES.

There are seven enclosures with bent wires or flooring surfaces turned in to the enclosure space exposing metal points. Sharp metal points can cause injury to dogs. The licensee must ensure that primary enclosures be constructed and maintained so that they have no sharp points or edges that could injure the dogs. To be corrected by 5 March 2020.

3.11(b)(2)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

There are at least four water receptacles that have black debris coating the interior surface and floating in the water. Failure to keep food and water receptacles clean and sanitized can play a role in disease transmission. The licensee must ensure that used food and water receptacles for dogs and cats must be sanitized at least one every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards. To be corrected by 5 March 2019.

This inspection and exit interview were conducted with facility representatives.

Additional Inspectors

Lundy Kendall, Animal Care Inspector

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care

Date:
28-FEB-2020

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:
28-FEB-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1390	48-B-0070	001	JERRY & JO ANN NELSON	27-FEB-20

Count	Scientific Name	Common Name
000271	<i>Canis lupus familiaris</i>	DOG ADULT
000080	<i>Canis lupus familiaris</i>	DOG PUPPY
000351	Total	