



## Inspection Report

---

Lorilee Thomas  
17454 Hwy K-9  
Whiting, KS 66552

Customer ID: **324086**  
Certificate: **48-B-0329**  
Site: 002  
Lorilee Thomas

Type: ROUTINE INSPECTION  
Date: 03-OCT-2016

---

### 3.6(a)(2)(x)

#### PRIMARY ENCLOSURES.

\*\*\*In the "G Building" a Rottweiler puppy's feet were passing through the mesh floor of the enclosure.

\*\*\*In the "E Building" a litter of five Japanese Chin puppies' feet were passing through the mesh floor of the enclosure.

Surfaces that allow the feet to pass through can cause injury or inhibit the movement of the puppies. The licensee must construct the floors in a manner that does not allow feet and legs to pass through the openings in the floor.

TO BE CORRECTED BY: October 5, 2016

This inspection and exit interview were conducted with the licensee, ACI Bartels, and VMO Shaver.

#### Additional Inspectors

Shaver Margaret, Veterinary Medical Officer

---

Prepared By: MARY BARTELS, A C I USDA, APHIS, Animal Care

Date:  
04-OCT-2016

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: EMAILED

Date:  
04-OCT-2016



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324086	48-B-0329	002	Lorilee Thomas	03-OCT-16

Count	Scientific Name	Common Name
000994	<i>Canis lupus familiaris</i>	DOMESTIC DOG
<b>000994</b>	<b>Total</b>	