



Inspection Report

MADELINE CAROL GRAY
419 CROW HOLLOW LANE
NICKELSVILLE, VA 24271

Customer ID: **29610**

Certificate: **52-A-0137**

Site: 001

GRAYS COPPER RIDGE KENNEL

Type: ROUTINE INSPECTION

Date: 09-DEC-2022

3.1(c)(1)

Housing facilities, general.

***The metal flashing/border on the interior surface of four of the indoor kennels at the joint where the wall meets the flooring have rusted and corroded leaving surfaces that have grooves and pockets that may allow the accumulation of feces and waste material. These surfaces cannot be readily cleaned and sanitized. Improper sanitation of these surfaces may increase risk of exposure to disease hazards. All surfaces that the dogs may come in contact with shall be prepared in a manner that will permit appropriate cleaning and sanitization to protect the dogs from possible disease hazard.

***There are two runs observed to have portions of the vinyl tile flooring that has become torn exposing the wood below. The wood in one of these openings is wet and has been chewed or dug out leaving a hole that may accumulate waste material, creating a potential disease hazard. The torn vinyl shall be repaired or replaced to create a surface that may be readily cleaned and sanitized to protect the dogs from disease hazard.

Correct by January 15, 2023.

This inspection and exit interview were conducted with the licensee.

Prepared By: MICHELLE WILLIAMS

USDA, APHIS, Animal Care

Date:
12-DEC-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
12-DEC-2022



Inspection Report

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
12-DEC-2022

Received by Title: Licensee

Date:
12-DEC-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
29610	52-A-0137	001	GRAYS COPPER RIDGE KENNEL	09-DEC-2022

Count	Scientific Name	Common Name
000050	<i>Canis lupus familiaris</i>	DOG ADULT
000009	<i>Canis lupus familiaris</i>	DOG PUPPY
000059	Total	