



Inspection Report

Lost World Ranch Inc
1420 Gose Mill Road
Tazewell, VA 24651

Customer ID: **331704**

Certificate: **52-A-0178**

Site: 001

LOST WORLD RANCH INC

Type: ROUTINE INSPECTION

Date: 01-SEP-2016

2.40(b)(1)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

In the refrigerator where medications are stored for the camels some expired medications were noted including Cydectin with an expiration date of April 2015. Expired medications may not be effective after the expiration date resulting in inadequate treatment and preventive care of animals. The attending veterinarian should be contacted to replace expired medications and to discuss proper care of the animals. Correct by September 20,2016.

2.40(b)(2) CRITICAL

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

***A male camel named "Billy" was lying on the ground and unable to return to a standing position. Billy is very thin and the owner stated the camel is currently under treatment for worms. The owner also stated that the camel is anemic. The camel was manually assisted by the caretakers to a standing position. The camel may be too weak or other veterinary care issues may be present preventing the camel from standing without assistance. The attending veterinarian has not seen these animals recently and this animal needs to be examined immediately to determine a diagnosis and an appropriate treatment plan. The written program of veterinary care needs to address issues of the older camels. The owner informed the inspector that the camel was deceased during a conversation to discuss issues concerning the camel's veterinary care.

3.125(a)

FACILITIES, GENERAL.

*** There is one steel three sided shelter that houses 13 camels which has significant damage to the steel panels of the shelter. The red metal roof is damaged and steel panels are missing. One side of the steel structure has fallen on the inside floor of the shelter and the steel pieces are piled up where the camels should be standing. Some repairs have been made with black tar paper on the inside walls of the shelter.

*** There are several areas in the wood board fences that need to be replaced or repaired. The camels have chewed on the wood boards and some are broken which could cause injury to the camels.

Prepared By: KATHERINE WILEY, A C I USDA, APHIS, Animal Care

Date:
07-SEP-2016

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: SENT BY E-MAIL & CERTIFIED MAIL #7015152000

Date:
07-SEP-2016



Inspection Report

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals. Correct by October 21,2016.

3.131(c)

SANITATION.

The refrigerator that is used for storing medications has a brown unknown substance on the bottom shelf. It is important to make sure that all areas of refrigerator are kept clean in order to avoid contamination,molding and deterioration. Clean the refrigerator. Correct by September 13,2016.

This inspection and exit interview were conducted with owner.

Prepared By: KATHERINE WILEY, A C I USDA, APHIS, Animal Care

Date:
07-SEP-2016

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: SENT BY E-MAIL & CERTIFIED MAIL #7015152000

Date:
07-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331704	52-A-0178	001	LOST WORLD RANCH INC	01-SEP-16

Count	Scientific Name	Common Name
000031	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000031	Total	