



Inspection Report

LOIS BAKER
95 Chambers Lane
ANDREWS, NC 28901

Customer ID: **330819**
Certificate: **55-A-0165**
Site: 001
LOIS BAKER

Type: ROUTINE INSPECTION
Date: 17-MAY-2023

2.40(b)(3)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

The male Dachshund "Esau" (chip number*54053), and the male Dachshund "Israel" (chip number ****52076), have moderate to severe tartar primarily on their canines. Esau was examined in March and a follow-up examination has not been scheduled. As Esau's condition has progressed, he is now in need of a full dental. There is no record indicating Israel received a dental examine recently. Israel shall be examined by the veterinarian and provided a dental cleaning. Correct by May 31, 2023.

3.1(a)

Housing facilities, general.

***While waiting for the licensee to arrive on property USDA observed a cream colored long haired Dachshund, later identified as Hannah, clinging to the very top of the gate to her outdoor run about to do over the gate. Discussions with the licensee indicate Hannah has a history of escaping from her enclosures. An enclosure must be provided for Hannah that will keep her secured within thereby protecting her from possible injury and loss. Correct by May 24, 2023.

3.1(c)(1)(i)

Housing facilities, general.

***The indoor and outdoor runs have coated wire gates. Approximately 15 percent of the gates observed have an excess build up of rust, two of the gates have corrosion along the bottom edge. There are two crates in the buildings that are

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
30-MAY-2023

Received by Title: Licensee

Date:
30-MAY-2023



Inspection Report

coated with rust. The powdery rust rubs off on your hands when touching the crates. The accumulation of rust inhibits effective cleaning and sanitation and depending on the severity may decrease structural strength. The gates and crates shall be repaired or replaced to allow effective cleaning and sanitation, minimize possible disease hazard, and ensure the enclosures are structurally sound. Correct by June 17, 2023.

3.3(e)(1)(iii)

Sheltered housing facilities.

***There are three sheets of wood located over the front end of three of the dog enclosures. The wood covers the top of approximately 1/3 of the front of the enclosure. The wood was placed there to temporarily hold supplies while in use as well as support the dogs when handled above their enclosure. The dogs have contact with the boards when jumping or placed on them. These boards are not impervious to moisture and cannot be properly cleaned and sanitized increasing the risk of disease hazard. All walls, boxes, houses, dens, and other surfaces in contact with the animals must be impervious to moisture to allow effective cleaning and sanitization thereby decreasing the risk of possible disease hazards. Correct by May 24, 2023.

This inspection and exit interview were conducted with the Licensee.

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
30-MAY-2023

Received by Title: Licensee

Date:
30-MAY-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
330819	55-A-0165	001	LOIS BAKER	17-MAY-2023

Count	Scientific Name	Common Name
000047	<i>Canis familiaris</i>	DOG ADULT
000012	<i>Canis familiaris</i>	DOG PUPPY
000059	Total	