



Inspection Report

Misty Woodruff
7 Dudley Avenue
Granite Falls, NC 28630

Customer ID: **503150**
Certificate: **55-B-0226**
Site: 001
Misty Woodruff

Type: ROUTINE INSPECTION
Date: 01-FEB-2022

3.31(a)(1)

Sanitation.

The main guinea pig enclosure has an excessive accumulation of excreta mixed in with the bedding. There are no areas in the enclosure that will allow the guinea pigs to remain free from contact with the excreta. Excess accumulations of excreta increase the risk of disease hazards which may allow the guinea pigs to become ill. The enclosure shall be cleaned more frequently to prevent such accumulations and provide for the health and well being of the guinea pigs.

Correct by February 4, 2022.

3.80(a)(2)(iii)

Primary enclosures.

The heat lamp provided for the ring-tailed lemur is located in close proximity to the enclosure and at a level that could allow the lemur to reach through and potentially become injured by the heat. Measures shall be applied to prevent the lemur's ability to make direct contact with the heat source.

Correct by February 4, 2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: MICHELLE WILLIAMS
USDA, APHIS, Animal Care

Date:
02-FEB-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
02-FEB-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503150	55-B-0226	001	Misty Woodruff	01-FEB-2022

Count	Scientific Name	Common Name
000001	<i>Sapajus appella</i>	BROWN CAPUCHIN / TUFTED CAPUCHIN
000001	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Potos flavus</i>	KINKAJOU
000002	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000006	<i>Guinea Pigs</i>	GUINEA PIGS
000005	<i>Phodopus roborovskii</i>	ROBOROVSKI'S DWARF HAMSTER
000016	Total	