



Inspection Report

Harold Dick
1754 W Elmwood Dr
Acworth, GA 30102

Customer ID: **24678**
Certificate: **57-A-0187**
Site: 001
HAROLD DICK

Type: ROUTINE INSPECTION
Date: 05-JUN-2014

3.129(b)

FEEDING.

***The metal food receptacles attached to the cages are rusty with a build up of grime, grit and dust. Build ups of this nature increase the potential for disease. Food receptacles shall be kept clean and sanitized at all times. These food receptacles shall be cleaned and sanitized to promote proper husbandry practices and protect the health and well being of the chinchillas. Correct by July 5, 2014.

3.131(a) REPEAT

SANITATION.

***The chinchilla enclosures have a build up dust and grime on the cage wiring. The suspended metal supports for the cages as well as some of the cages are pitted, flaking and rusty. Some of the wires have deteriorated and are broken. The condition and structure of the cages do not allow for adequate cleaning and sanitizing. The rust has compromised the structural strength of some of the enclosures and their support. The enclosures must be cleaned and sanitized to minimize disease hazard and ensure the health and well being of the chinchillas.

The exit briefing conducted with the facility owner.

As requested I am providing the address and phone number of the regional office below:

USDA, APHIS, Animal Care
920 Main Campus Drive, Suite 200
Raleigh, NC 27606
(919) 855-7100

Additional Inspectors

Pietrosante Brenda, Animal Care Inspector

Prepared By: MICHELLE WILLIAMS, D V M USDA, APHIS, Animal Care

Date:
05-JUN-2014

Title: VETERINARY MEDICAL OFFICER 2028

Received by Title: OWNER

Date:
05-JUN-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
24678	57-A-0187	001	HAROLD DICK	05-JUN-14

Count	Scientific Name	Common Name
000500	<i>Chinchilla brevicaudata</i>	CHINCHILLA
000500	Total	