



Inspection Report

Judy Hulett
P O Box 103
Rhine, GA 31077

Customer ID: **329046**
Certificate: **57-A-0206**
Site: 001
JUDY HULETT

Type: ROUTINE INSPECTION
Date: 02-MAR-2016

3.1(c)(1)(2)

HOUSING FACILITIES, GENERAL.

Enclosure #22 contains two (2) Jack Russell Terriers. Within this enclosure is a strip of wire sticking up from the bottom, into the floor. The points of the wire are sharp, and in direct contact with the dogs. This condition of the wire could cause injury to the dogs within the enclosure. Surfaces in contact with the animals must be free of jagged edges or sharp points that might injure the animals.

Corrected at the time of this inspection.

This inspection and exit interview was conducted by Brenda Pietrosante, ACI, with the facility owner.

Prepared By: BRENDA PIETROSANTE, A C I USDA, APHIS, Animal Care

Date:
03-MAR-2016

Title: ANIMAL CARE INSPECTOR 6011

Received by Title: OWNER

Date:
03-MAR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
329046	57-A-0206	001	JUDY HULETT	02-MAR-16

Count	Scientific Name	Common Name
000371	<i>Canis lupus familiaris</i>	DOG ADULT
000212	<i>Canis lupus familiaris</i>	DOG PUPPY
000583	Total	