



Inspection Report

Bobby Nipper
5720 N E 39th Blvd
Gainesville, FL 32609

Customer ID: **43507**

Certificate: **58-A-0287**

Site: 001

BOBBY NIPPER

Type: ROUTINE INSPECTION

Date: 05-JUN-2018

3.83 REPEAT

WATERING.

Multiple marmoset enclosures did not have clean drinking water available. The majority of water receptacles contained dirty or cloudy water with debris and algae build up. Multiple kinkajou water containers were similarly affected. Drinking dirty or contaminated water could cause illness in the animals. Water receptacles must be kept clean and sanitized.

Records, the plan of veterinary care, and the primate environmental enhancement plan were not reviewed during this inspection.

This inspection and exit interview were conducted with the licensee.

Additional Inspectors

Irwin Bryan, Compliance Specialist

Prepared By: LOERZEL SUZAN, D V M USDA, APHIS, Animal Care

Date:
09-AUG-2018

Title: VETERINARY MEDICAL OFFICER 6102

Received by Title: LICENSEE

Date:
09-AUG-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
43507	58-A-0287	001	BOBBY NIPPER	05-JUN-18

Count	Scientific Name	Common Name
000001	<i>Callithrix geoffroyi</i>	WHITE-FRONTED MARMOSET
000007	<i>Callithrix jacchus</i>	COMMON MARMOSET
000008	<i>Potos flavus</i>	KINKAJOU
000006	<i>Vulpes zerda</i>	FENNEC FOX
000022	Total	