



Inspection Report

VICKIE OWENS
3407 NW Bur Oak Place
JENNINGS, FL 32053

Customer ID: **500578**
Certificate: **58-A-0341**
Site: 001
VICKIE OWENS

Type: ROUTINE INSPECTION
Date: 02-MAY-2023

3.125(a)

Facilities, general.

In the enclosure housing three foxes, there is a triangular piece of plywood used as a platform with a significant number of chewed, jagged edges. Additionally, where the plywood is attached to the corner of the enclosure, there are three screws that extrude approximately 1.5in-2in into the enclosure. These sharp points pose a risk of injury to the animals contained therein. The housing facilities must be constructed so that they protect the animals from injury. Correct by 6/2/2023.

This inspection and exit interview were conducted with the facility representative.

Prepared By: TRACIE CRAWFORD
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
02-MAY-2023

Received by Title: Licensee

Date:
02-MAY-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500578	58-A-0341	001	VICKIE OWENS	02-MAY-2023

Count	Scientific Name	Common Name
000003	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000007	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000010	Total	