



Inspection Report

Larry W Wilson
5450 Hampton Road
Lakeland, FL 33810

Customer ID: **324219**
Certificate: **58-B-0539**
Site: 001
LARRY WILSON

Type: ROUTINE INSPECTION
Date: 01-AUG-2017

3.50(b) REPEAT

FACILITIES, GENERAL.

At time of this inspection the power for the building was off. Licensee stated that he thinks there is a break in the buried electric line. The lights and fans need to be made available to conduct an inspection and to facilitate the health and husbandry of the rabbits. Reliable and adequate electric power is required.

3.53(a)(1) REPEAT

PRIMARY ENCLOSURES.

There is one metal feeder which has rusted away leaving sharp metal edges at the interior portion that the rabbits eat out of. This feeder needs to be replaced so that it is structurally sound and then maintained in good repair to protect the rabbit from injury, to contain it, and to keep predators out.

3.54

FEEDING.

Several of the rabbit feed bowls are excessively dirty and some have feces in them. Bowls shall be located so as to minimize contamination by excreta. All food receptacles shall be kept clean and sanitized at least once every 2 weeks. These bowls need to be cleaned and sanitized or replaced.

Correct by: 08-02-17.

3.55

WATERING.

Several of the water bowls have a buildup of algae. These need to be cleaned, sanitized and refilled.

Correct by: 08-02-17.

3.56(c)

SANITATION.

Prepared By: ADAMS MEGAN, A C I USDA, APHIS, Animal Care

Date:
31-AUG-2017

Title: ANIMAL CARE INSPECTOR 1027

Received by Title: OWNER

Date:
31-AUG-2017



Inspection Report

(c) Housekeeping. Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in this subpart.

The area that is fenced in for the rabbit facility has an overgrowth of weeds. These need to be cut down as they provide a haven for rodents and snakes.

The floor of the rabbit barn has an excessive accumulation of feces. This needs to be cleaned out and disposed of properly.

Correct by: 08-15-17.

This inspection and exit interview were conducted with the Owner.

Prepared By: ADAMS MEGAN, A C I USDA, APHIS, Animal Care

Date:
31-AUG-2017

Title: ANIMAL CARE INSPECTOR 1027

Received by Title: OWNER

Date:
31-AUG-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324219	58-B-0539	001	LARRY WILSON	01-AUG-17

Count	Scientific Name	Common Name
000039	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000039	Total	