



Inspection Report

Daniel S Esh
12228 Cerulean Sinking Fork Rd
Cerulean, KY 42215

Customer ID: **503504**
Certificate: **61-A-0148**
Site: 001
DANIEL S ESH

Type: ROUTINE INSPECTION
Date: 04-NOV-2019

3.31(a)(1)

SANITATION.

There is a strong smell of ammonia in the room of guinea pigs. The bedding mixed with feces and urine is building up inside of the pens.

It's not healthy for adult and young guinea pigs to be breathing ammonia. The animals in the affected area do not have outside access to escape fumes, this can cause respiratory distress and affect the health and well-being of guinea pigs.

The accumulation of animal waste and its breakdown is a source of odors, and can contribute to the risk of diseases, pests, and vermin infestation.

Also was observed an accumulation of grime, debris and bedding material around of the water nipples pipes, this can contribute to the clog of the nipples and to the contamination of the water source.

The primary enclosures need to be properly cleaned more frequently to avoid the build-up of feces grime and soil and reduce the ammonia and feces accumulation in the guinea pigs room.

Licensee must re-evaluate his waste disposal and frequency of cleaning. Another more frequent method of waste collection and disposal must be develop and practiced.

Primary enclosures shall be cleaned and sanitized often enough to prevent an accumulation of excreta or debris: Provided, however, that such enclosures shall be sanitized at least once every 2 weeks

Correct by: 11/15/2019

Prepared By: ARANGO JUAN, A C I USDA, APHIS, Animal Care

Date:
04-NOV-2019

Title: PERMIT SPECIALIST 6008

Received by Title: LICENSEE WIFE

Date:
04-NOV-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503504	61-A-0148	001	DANIEL S ESH	04-NOV-19

Count	Scientific Name	Common Name
001000	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001000	Total	